


FRONT ELEVATION



**ZUENDT ENGINEERING**  
 5405 WATER ST.  
 NEW PORT RICHEY, FL 34652  
 CA32834  
 727-848-2921  
 JOB # 6228

**DEEB RESIDENCE**  
 348 SHORE DRIVE  
 OLDSMAR, FL.


SCALE 1/8" = 1'-0"

PLAN DATE
11-08-18   03-18-19
11-14-18   05-03-19
11-29-18
1-03-19


**DEEB FAMILY HOMES, LTD.**  
 9400 RIVER CROSSING BLD.  
 NEW PORT RICHEY, FL 34655  
 727-376-6831

FRONT ELEVATION


**4**



**DBL. PILING CAP DETAIL**



**PILING CAP DETAILS**



**SLAB PLAN**


SCALE 1/8" = 1'-0"



**DEEB FAMILY HOMES, LTD.**  
 9400 RIVER CROSSING BLD.  
 NEW PORT RICHEY, FL. 34655  
 727-376-6831

PLAN DATE
11-08-18
03-18-19
11-14-18
05-03-19
11-29-18
1-03-19

**DEEB RESIDENCE**  
 348 SHORE DRIVE  
 OLDSMAR, FL.



**ZUENDT ENGINEERING**  
 5405 WATER ST.  
 NEW PORT RICHEY, FL. 34652  
 CA32834  
 727-848-2921  
 JOB # 6228

NOTE: ALL ELECTRICAL, MECH. PLUMBING AND BUILDING MATERIALS AND/OR COMPONENTS SHALL BE INSTALLED ABOVE BASE FLOOD ELEVATION UNLESS SPECIFICALLY DESIGNED AND APPROVED FOR INSTALLATION BELOW BASE FLOOD ELEVATION OR MADE OF APPROVED WATER RESISTANT MATERIALS PER FEMA TECHNICAL BULLETIN 2-93 & 7-93


NOTE: ALL WALLS BELOW BASE FLOOD ELEVATION TO BE CONSTRUCTED W/ 2 X 4 P.T. FRAMING AT 16" O.C. W/ "DURA-ROCK" BOARD OVER. STAIRS TO BE FABRICATED WITH 2 X 10 P.T. TREADS AND 2 X 12 P.T. STRINGERS. ALL FASTENERS TO BE HOT DIPPED, ZINC COATED GALVANIZED STEEL

TOTAL VENTABLE AREA = 3882 S.F.  
 REQUIRED VENTS = 3883 S.I.  
 (10) SMART VENTS RATED AT 400 S.F. PER VENT (= 4000 S.F.)

8F16-1T-1B  
 LINTEL TYPE (A)

8F16-1T-2B  
 LINTEL TYPE (B)

DBL. 8F16-1T-2B  
 LINTEL TYPE (C)



NOTE: ALL WALLS BELOW BASE FLOOD ELEVATION TO BE CONSTRUCTED W/ 2 X 6 P.T. FRAMING AT 16" O.C. W/ "DURA-ROCK" BOARD OVER. STAIRS TO BE FABRICATED WITH 2 X 10 P.T. TREADS AND 2 X 12 P.T. STRINGERS. ALL FASTENERS TO BE HOT DIPPED, ZINC COATED GALVANIZED STEEL

GROUND FLOOR PLAN SCALE 1/8" = 1'-0"

ZUENDT ENGINEERING  
 5405 WATER ST.  
 NEW PORT RICHEY, FL. 34652  
 CA32834  
 727-848-2921  
 JOB # 6228




DEEB RESIDENCE  
 348 SHORE DRIVE  
 OLDSMAR, FL.

PLAN DATE
11-08-18
03-18-19
11-14-18
05-03-19
11-29-18
1-03-19

DEEB FAMILY  
 HOMES, LTD.  
 9400 RIVER CROSSING BLD.  
 NEW PORT RICHEY, FL. 34655  
 727-376-6831





**SQUARE FOOTAGES**

FIRST FLOOR A/C	- 4085 S.F.
SECOND FLOOR A/C	- 1525 S.F.
GARAGE A/C	- 231 S.F.
TOTAL A/C	- 5851 S.F.
GROUND FLOOR	- 3874 S.F.
ENTRY	- 168 S.F.
LANAI	- 487 S.F.
UPPER DECK	- 314 S.F.
UPPER ENTRY	- 85 S.F.
TOTAL UNDER ROOF	- 10,751 S.F.

FIRST FLOOR NOTES SCALE 1/8" = 1'-0"

**ALEXANDER ZUENDT ENGINEERING**  
 1505 WATER ST.  
 NEW PORT RICHEY, FL. 34652  
 P. 32834  
 27-848-2921  
 JOB # 6228


**DEEB RESIDENCE**  
 348 SHORE DRIVE  
 OLDSMAR, FL.

**PLAN DATE**

11-08-18	03-18-19
11-14-18	05-03-19
11-29-18	
1-03-19	

**DEEB FAMILY HOMES, LTD.**  
 9400 RIVER CROSSING BLD.  
 NEW PORT RICHEY, FL. 34655  
 727-376-6831

**2**




FIRST FLOOR DIMENSIONS SCALE 1/8" = 1'-0"

**2A**


**DEEB FAMILY HOMES, LTD.**  
 9400 RIVER CROSSING BLD.  
 NEW PORT RICHEY, FL. 34655  
 727-376-6831

PLAN DATE
11-08-18   03-18-19
11-14-18   05-03-19
11-29-18
1-03-19


**DEEB RESIDENCE**  
**348 SHORE DRIVE**  
**OLDSMAR, FL.**



**ZUENDT ENGINEERING**  
 5405 WATER ST.  
 NEW PORT RICHEY, FL. 34652  
 CA32834  
 727-848-2921  
**JOB # 6228**



REAR ELEVATION



ZUENDT ENGINEERING  
 5405 WATER ST.  
 NEW PORT RICHEY, FL. 34652  
 CA32834  
 727-848-2921  
 JOB # 6228


DEEB RESIDENCE  
 348 SHORE DRIVE  
 OLDSMAR, FL.

PLAN DATE
11-08-18; 03-18-19
11-14-18; 05-03-19
11-29-18; 1-03-19



DEEB FAMILY  
 HOMES, LTD.  
 9400 RIVER CROSSING BLD.  
 NEW PORT RICHEY, FL. 34655  
 727-376-6831

**4B**

REAR ELEVATION



RIGHT SIDE ELEVATION



RIGHT SIDE ELEVATION

SCALE 1/8" = 1'-0"

**40**




DEEB FAMILY HOMES, LTD.  
9400 RIVER CROSSING BLD.  
NEW PORT RICHEY, FL. 34655  
727-376-6831

PLAN DATE
11-08-18 03-18-19
11-14-18 05-03-19
11-29-18
1-03-19


DEEB RESIDENCE  
348 SHORE DRIVE  
OLDSMAR, FL.



ZUENDT ENGINEERING  
5405 WATER ST.  
NEW PORT RICHEY, FL. 34652  
CA32834  
727-848-2921  
JOB # 6228



**ZUENDT ENGINEERING**  
 5405 WATER ST.  
 NEW PORT RICHEY, FL. 34652  
 CA32834  
 727-848-2921  
**JOB # 6228**



**DEEB RESIDENCE**  
**348 SHORE DRIVE**  
**OLDSMAR, FL.**

SCALE 1/8" = 1'-0"

PLAN DATE
11-08-18
03-18-19
11-14-18
05-03-19
11-29-18
1-03-19

**DEEB FAMILY HOMES, LTD.**  
 9400 RIVER CROSSING BLD.  
 NEW PORT RICHEY, FL. 34655  
 727-376-6831

**5**

SECTION DETAILS



TOTAL NET FREE VENTILATING AREA SHALL NOT BE LESS THAN 1 TO 300 PROVIDED THAT AT LEAST 50 % AND NOT MORE THAN 80 % IS PROVIDED BY VENTILATORS LOCATED IN THE UPPER PORTION OF THE SPACE TO BE VENTILATED PER SECT. R806.2

**AREA ONE**


TOTAL AREA OF LIVING AREA TO BE VENTILATED = 1228 S.F.  
 1228 / 300 = 4.09 S.F. OR 589 SQUARE INCHES.  
 ROOF VENTS ARE RATED AT 36 SQUARE INCHES OF OPENING PER LINEAL FT.  
 589.44 S.I./36 S.I. = 16 LINEAL FEET REQUIRED.  
 INSTALLATION FOR THIS ROOF IS 16' OF ROOF VENTS

**AREA TWO**

TOTAL AREA OF LIVING AREA TO BE VENTILATED = 2048 S.F.  
 2048 / 300 = 6.83 S.F. OR 983.52 SQUARE INCHES.  
 ROOF VENTS ARE RATED AT 36 SQUARE INCHES OF OPENING PER LINEAL FT.  
 983.52 S.I./36 S.I. = 27.32 LINEAL FEET REQUIRED.  
 INSTALLATION FOR THIS ROOF IS 28' OF ROOF VENTS

**AREA THREE**

TOTAL AREA OF LIVING AREA TO BE VENTILATED = 1440 S.F.  
 1440 / 300 = 4.8 S.F. OR 691.2 SQUARE INCHES.  
 ROOF VENTS ARE RATED AT 36 SQUARE INCHES OF OPENING PER LINEAL FT.  
 691.2 S.I./36 S.I. = 19.2 LINEAL FEET REQUIRED.  
 INSTALLATION FOR THIS ROOF IS 20' OF ROOF VENTS




ROOF PLAN SCALE 1/8" = 1'-0"

**6**

**DEEB FAMILY HOMES, LTD.**  
 9400 RIVER CROSSING BLD.  
 NEW PORT RICHEY, FL. 34655  
 727-376-6831

PLAN DATE
11-08-18   03-18-19
11-14-18   05-03-19
11-29-18
1-03-19

**DEEB RESIDENCE**  
 348 SHORE DRIVE  
 OLDSMAR, FL.




**ZUENDT ENGINEERING**  
 5405 WATER ST.  
 NEW PORT RICHEY, FL. 34652  
 CA32834  
 727-848-2921  
**JOB # 6228**



**FLOOR TRUSS NOTES:**

- (1) TRUSS TO TRUSS AND TRUSS TO GIRDER CONNECTORS TO BE SPECIFIED BY THE TRUSS MFR'ER.
- (2) MINIMUM LIVE LOADS FROM FLOOR TRUSS DESIGN TO BE BASED ON FBC TABLE 1601.1 FOR ROOM AND AREA USAGE. FOR MIXED USE FLOORS, USE THE LARGEST VALUE OF THE MIN. LIVE LOADS.

THIS FRAMING PLAN IS DIAGRAMMATIC IN NATURE AND IS PROVIDED FOR ILLUSTRATION PURPOSES ONLY. TRUSS MANUFACTURER TO PROVIDE SEPERATE LAYOUT AND TRUSS COMPONENT DESIGN SIGNED AND SEALED BY A PROFESSIONAL ENGINEER AND REVIEWED BY P.E. OF RECORD BEFORE START OF CONSTRUCTION.



**FLOOR TRUSSES, FIRST FLOOR**

SCALE 1/8" = 1'-0"

**6C**

**DEEB FAMILY HOMES, LTD.**  
 9400 RIVER CROSSING BLD.  
 NEW PORT RICHEY, FL. 34655  
 727-376-6831

PLAN DATE
11-08-18 03-18-19
11-14-18 05-03-19
11-29-18 10-03-19

**DEEB RESIDENCE**  
 348 SHORE DRIVE  
 OLDSMAR, FL.

**ALEXANDER ZUENDT**  
 PROFESSIONAL ENGINEER  
 PE 82552  
 815  
 5405 WATER ST.  
 NEW PORT RICHEY, FL. 34652  
 CA32834  
 727-848-2921  
**ZUENDT ENGINEERING**  
 JOB # 6228

**ELECTRICAL LEGEND**


- § SINGLE POLE SWITCH
- §2 DOUBLE POLE SWITCH
- §J THREE-WAY SWITCH
- §4 FOUR-WAY SWITCH
- §DM DIMMER SWITCH
- CEILING FIXTURE
- SCOURCE ( WALL MOUNTED ) FIXTURE
- 110 VOLT DUPLEX OUTLET
- 110 VOLT SPLIT SWITCHED OUTLET
- GROUND FAULT INTERRUPT
- WP WATER PROOF W/ GROUND FAULT
- 220V VOLT OUTLET
- SPECIAL SERVICES OUTLET
- TV TV CABLE OUTLET
- TELEPHONE CABLE OUTLET
- RECESSED LIGHTING
- WP WATER PROOF RECESSED LIGHTING
- BATH FAN
- BATH FAN W/ LIGHT
- SMOKE DETECTOR
- CARBON DIOXIDE DETECTOR
- FLOOD LIGHT
- FLUORESCENT LIGHTING
- TRACK LIGHTING
- CEILING FAN
- CHIMES
- DISP DISPOSAL
- DISCONNECT SWITCH
- SP PREWIRED SPEAKER
- JUNCTION BOX
- THERMOSTAT
- LOW VOLTAGE LIGHTING
- IC INTERCOM SYSTEM
- GARAGE DOOR PUSH BUTTON

POOL EQUIP. CONNECTION

- NOTES:**
- UNLESS OTHERWISE NOTED
- ELECTRICAL OUTLET HEIGHTS MEASURED FROM FINISHED FLOOR TO CENTERLINE OF THE BOX TO BE 18" A.F.F. ( GENERAL )
  - KITCHEN 42"
  - BATHROOM 42"
  - LAUNDRY 36" WASHER/ 24" DRYER/ WALL OUTLETS 45"
  - EXTERIOR WATERPROOF @ 12"
  - GARAGE GFI @ 45"
  - RANGE 220V @ 4"
  - ALL TRIM PLATES AND DEVICES TO GANGED WHERE POSSIBLE
  - ELECTRICAL SWITCHES TO BE AT 42" CENTERLINE A.F.F.
  - ELECTRICAL PLAN IS INTENDED FOR BID PURPOSES ONLY. ALL WORK SHALL BE DONE IN STRICT ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE, LATEST EDITION BY A LICENSED ELECTRICAL CONTRACTOR WHO SHALL BE RESPONSIBLE FOR THE INSTALLATION & SIZING OF ALL ELECTRICAL, WIRING & ACCESSORIES.
  - SMOKE DETECTORS SHALL BE IN ACCORDANCE WITH THE FLORIDA BUILDING CODE, R314, UL217 NFPA72 AND SECTION 907.2.11.1 & NFRA72
  - PROVIDE AFCI ( ARC FAULT INTERRUPTERS ) IN ALL AREAS PER NEC, SECTION 210-12
  - ALL RECEPTALS TO BE TAMPER PROOF PER SECT 406.11

**NOTE:**  
PER SECTION 501.2 MECH CODE 2004- THE AIR REMOVED BY MECHANICAL EXHAUST SYSTEM SHALL BE DISCHARGED OUTDOORS AT A POINT WHERE IT WILL NOT CAUSE A NUISANCE AND FROM WHICH IT CANNOT AGAIN BE READILY DRAWN IN BY A VENTILATING SYSTEM. AIR SHALL NOT BE EXHAUSTED INTO AN ATTIC OR CRAWL SPACE.


**NOTE:**  
PER SECT 601.4 BALANCED RETURN AIR. PROVISIONS SHALL BE MADE TO AVOID UNBALANCED AIR FLOWS AND PRESSURE DIFFERENTIALS CAUSED BY RESTRICTED RETURN AIR. PRESSURE DIFFERENTIALS ACROSS CLOSED DOORS WHERE RETURNS ARE CENTRALLY LOCATED SHALL BE LIMITED TO 0.01 INCH WC (2.5 PASCALS) OR LESS. PRESSURE DIFFERENTIALS ACROSS FIREWALLS IN CEILING SPACE PLENUMS SHALL BE LIMITED TO 0.01 INCH WC (2.5 PASCALS) BY PROVIDING AIR DUCT PATHWAYS OR AIR TRANSFER PATHWAYS FROM HIGH PRESSURE ZONES TO THE LOW ZONES



SCALE 1/8" = 1'-0"

GROUND FLOOR ELECTRICAL

**ZUENDT ENGINEERING**  
5405 WATER ST.  
NEW PORT RICHEY, FL 34652  
CA32834  
727-848-2921  
JOB # 6228




**DEEB RESIDENCE**  
348 SHORE DRIVE  
OLDSMAR, FL.

PLAN DATE	DATE
11-08-18	03-18-19
11-14-18	05-03-19
11-29-18	
1-03-19	

**DEEB FAMILY HOMES, LTD.**  
9400 RIVER CROSSING BLD.  
NEW PORT RICHEY, FL 34655  
727-376-6831

**7B**



**CONNECTOR TABLE**


SIMPSON	FLORIDA PRODUCT NUMBERS PER INDEX 2-25-2011
MBHA3.56/11.88	10866.12
H2	10456.10
H6	10456.16
H10A	10456.6
LGT2	11470.6
MGT	11470.7
LSTA18	10852.4
LSTA24	10852.4
SP1	10456.41
SP2	10456.42
HTS20	10456.23
HTS16	10456.22
META16	11473.17
L30	11473.19
MSTAM24	10446.11
MSTAM36	11473.19
MSTCM60	11473.19
CS16	10852.1
SPH4	10456.46
SPH6	10456.47
HTT4	11496.2
HTT5	11496.2
ABU66	10849.6
HUS210	10655
META20	11473

2-3/4" 3000 P.S.I. CONCRETE OVER 6 MIL. MOISTURE BARRIER OVER 3/4" ADVANTEC T & G PLYWOOD FLOORING W/ 8d RING SHANK @ 6" O.C. EDGE AND FIELD.

3/4" T & G PLYWOOD FLOORING. FASTEN W/10d RING SHANKS AT 6" O.C. ON EDGE AND 12" O.C. IN FIELD

- 1/2" DRYWALL OVER
- a. H10 TO ROOF TRUSS
  - b. OSB SHEATHING FROM TOP PLATES TO BTM. PLATE
  - c. 10d NAILS 4" O.C. EDGES, 5" O.C. FIELD
  - d. SHEATHING AND NAILING PATTERN SUFFICIENT TO MEET UPLIFT AND WIND LOAD REQUIREMENTS.
  - e. BLOCK ALL PLYWOOD SPANS & NAIL SHEATHING TO BLOCKING.
  - f. 4 ROWS @ 4" O.C. TO BOTTOM L.V.L.

2-3/4" 3000 P.S.I. CONCRETE OVER 6 MIL. MOISTURE BARRIER OVER 3/4" ADVANTEC T & G PLYWOOD FLOORING W/ 8d RING SHANK @ 6" O.C. EDGE AND FIELD.



**TERMITE SPECIFICATIONS:**  
 INSTALL "BORA-CARE" TERMITE PROTECTION SYSTEM PER MANUF. SPECIFICATIONS


**TYPICAL THREE STORY WALL SECTION**

**10**

DEEB FAMILY HOMES, LTD.  
 9400 RIVER CROSSING BLD.  
 NEW PORT RICHEY, FL. 34655  
 727-376-6831

PLAN DATE  
 11-08-18, 03-18-19  
 11-14-18, 05-03-19  
 11-29-18,  
 1-03-19

DEEB RESIDENCE  
 348 SHORE DRIVE  
 OLDSMAR, FL.




ZUENT ENGINEERING  
 5405 WATER ST.  
 NEW PORT RICHEY, FL. 34652  
 CA32834  
 727-848-2921  
 JOB # 6228

- 5.3.4 WELDED WIRE FABRIC TO BE INSTALLED AS SPECIFIED ON PLAN SET.
- 5.3.5 STAINLESS STEEL IS NOT APPLICABLE.
- 5.3.6 COATING FOR RE-BAR CORROSION PROTECTION IS NOT APPLICABLE.
- 5.3.7 CORROSION PROTECTION FOR TENDONS IS NOT APPLICABLE.
- 5.3.8 PRE-STRESSING ANCHORAGE, COUPLERS, AND END BLOCKS ARE NOT APPLICABLE.
- 5.3.9 JOINT FILLERS AS APPLICABLE.
- 5.3.10 LINTELS TO BE PRE CAST UNLESS NOTED OTHERWISE.
- 5.4 EXECUTION
- 5.4.1 PIPES AND CONDUITS AS APPLICABLE.
- 5.4.2 ACCESSORIES ARE NOT APPLICABLE.
- 5.4.3 EXPANSION AND CONTROL JOINTS AS PER PLAN.

6. WOOD FRAMING

- &.1 DIMENSIONED LUMBER SHALL BE DRESSED S4S, AND SHALL BEAR THE GRADE STAMP OF THE MANUFACTURER'S ASSOCIATION.
- 6.2 ALL LUMBER SHALL BE SOUND, SEASONED, AND FREE FROM WARP.
- &.3 FRAMING WALLS AND COLUMNS
- 5.3.1 MINIMUM OF 3 PLY STUD COLUMNS TO BE INSTALLED AT BEAM OR GIRDER TRUSS BEARING LOCATIONS. UNLESS NOTED OTHERWISE.
- 6.3.2 S.Y.P. #2 GRADE OR BETTER FASTEN PLYS TOGETHER USING 16d COMMON NAILS 8" O.C. AS EACH MEMBER IS APPLIED U.N.O.
- 6.3.3 4 PLY OR AND LARGER STUD COLUMNS SHALL BE FASTENED TOGETHER AS STATED ABOVE PLUS CS16 COIL STRAPPING WRAPPED AROUND COLUMN WITH A 4" END CAP AT 16" O.C. OR 112"111 THRU BOLTS @24"O.C.
- 5.3.4 ALL FRAMING LUMBER SHALL BE 112 SPRUCE / PINE I FIR OR EQUAL U.N.O.
- 5.3.5 INTERIOR LOAD BEARING (IF APPLICABLE) WALLS SPACED AT 16" OC AND LESS THAN 8'-0" IN HEIGHT SHALL BE STUD GRADE, SPRUCE I PINE I FIR OR EQUAL.
- 6.3.7 INTERIOR NON-LOAD BEARING WALLS SHALL BE UTILITY GRADE DR BETTER.
- 5.3.8 INSTALL BLOCKING IN ALL WALL STUDS OVER 8'-11" @ MID-HEIGHT, AND SHEATHING JOINTS. BRACE GABLE END WALLS AT 4'-11" O.C. ADDITIONAL INFORMATION AS PER PLAN.
- 6.4 ALL LUMBER IN CONTACT WITH MASONRY OR CONCRETE SHALL BE PRESSURE TREATED OR NATURAL DURABLE WOOD.
- 6.5 PRESSURE TREATED LUMBER SHALL BE IMPREGNATED WITH A CCA SALT TREATMENT IN ACCORDANCE WITH F.S. 11-W-71 AND BARE THE AMERICAN WOOD PRESERVES INSTITUTE EQUALITY MARK LP-2.
- 6.6 A.P.A. RATED SHEATHING EXTERIOR GRADE. ALL ROOF SHEATHING TO INSTALLED WITH PLY CLIPS (MAXIMUM 24" O/C). (SEE PLANS FOR SHEATHING THICKNESS.) ADDITIONAL SHEATHING ATTACHMENT AS PER PLAN
- 6. 7 ALL NAILING AND BOLING SHALL COMPLY WITH AMERICAN INSTITUTE OF TIMBER CONSTRUCTION REQUIREMENTS. ALL NAILS EXPOSED TO THE EXTERIOR SHALL BE GALVANIZED.
- 8.8 ALL CONNECTION HARDWARE SHALL BE GALVANIZED AND SUPPLIED BY SIMPSON STRONG TIE CO., USP, KC METAL, OR EQUIVALENT. SUBMIT CUT SHEETS FOR ALL CONNECTION HARDWARE TO ENGINEER FOR APPROVAL. ALL NAIL HOLES SHALL BE FILLED OR AS PRESCRIBED BY THE MANUFACTURER.
- 8.9 BRACING: TEMPORARY BRACING OF THE ROOF SYSTEM SHALL BE INSTALLED PER HIB-91 RECOMMENDATIONS AND SHALL BE UTILIZED AS THE PERMANENT BRACING FOR THE ROOF SYSTEM U.N.O.
- 6.10 ALL WOOD FRAMING SHALL BE IN COMPLIANCE WITH THE LATEST NOS EDITION FOR WOOD CONSTRUCTION.
- 6.10 ALL HORIZONTAL WOOD FRAMING MEMBERS SHALL HAVE A MINIMUM DEFLECTION LIMIT OF L/360.




C&C WALL PRESSURES:  
Exposure D

ZONE	AREA IN SF	PRESSURE IN PSF
4	10	+47.4/-51.5
4	20	+43.8/-47.8
4	50	+42.8/-48.8
4	100	+40.2/-44.2
5	10	+47.4/-63.5
5	20	+43.8/-58.3
5	50	+42.8/-53.5
5	100	+40.2/-49.4

ROOF PRESSURES:

ZONE	AREA IN SF	PRESSURE IN PSF
1	10	+27.3/-43.4
1	20	+23.3/-41.4
1	50	+21.7/-40.8
1	100	+19.3/-39.4
2	10	+27.3/-75.8
2	20	+23.3/-65.1
2	50	+21.7/-61.5
2	100	+19.3/-55.5
3	10	+27.3/-111.8
3	20	+23.3/-99.3
3	50	+21.7/-94.9
3	100	+19.3/-87.8



**ALEXANDER ZJUENDO**  
P.E. # 552  
ALEXANDER ZJUENDO  
727-848-2921  
CA32834  
NEW PORT RICHEY, FL. 34652  
8405 WATER ST.  
**ZUENDT ENGINEERING**

**DEEB RESIDENCE**  
348 SHORE DRIVE  
OLDSMAR, FL.

PLAN DATE	REVISION
11-08-18	03-18-19
11-14-18	05-03-19
11-29-18	1-03-19

**DEEB FAMILY HOMES, LTD.**  
9400 RIVER CROSSING BLD.  
NEW PORT RICHEY, FL. 34655  
727-376-6831



**STRUCTURAL ENGINEER NOTES**